

# Specialty Lighting



## Professional Grade Pinspot

### Pinspot Features:

- U.L. Listed
- Beautiful white lacquered can
- Choose from multiple Lens Colors (sold separately)
- A/C socket and cord w/plug included
- Pinspot Light Source: 30W Lamp (included)



**Color Lens Options:** Red (R), Pink (P), Magenta (M), Amber (A), Green (G), Purple (P), Blue (B), Aqua (AQ), Yellow (Y).

Description	Product Code
Pinspot, UL, White	PS30ULW
Color Lense (EA)	PSL_COLOR

## Professional Grade PAR Fixtures

### PAR Features:

- Sizes Available: PAR 38 (90W Halogen), 56 (300W lamp w/ ceramic plug), 64 (500W lamp w/ceramic plug)
- U.L. Listed
- Beautiful white lacquered cans
- Gel holders included
- A/C socket and cord w/plug included
- Bulbs and light gels sold separately



Description	Product Code
PAR 38, UL, White	PAR38ULW
PAR 56, UL, White	PAR56ULW
PAR 64, UL, White	PAR64ULW
90W Halogen Bulb	PAR3890WB
300W Lamp	P56300WBMB
500W Lamp	P64500WBMB
P 38 Gel Pack (4)	GEL38(A)
P 56 Gel Pack (4)	GEL56(A-D)
P 64 Gel Pack (4)	GEL64(A-D)

### Gel Pack Options:

- A - Yellow, Primary Green, Deep Blue, Primary Red
- B - Orange, Bright Rose, Bright Pink, Slate Blue
- C - Bright Pink, Mauve, Orange, Peacock Blue
- D - Magenta, Light Red, Deep Orange, Deep Lavender



Gel Pack A

## FlexiPAR

FlexiPAR is a high-tech alternative to standard PAR cans. Made of thick aluminum and includes 4 lenses to change the degree of flood: VNSP, NSP, MFL, WFL. Uses a super bright 575 watt, 3,200 Kelvin, lamp (sold separately). Includes hanging bracket, cord set and gel frame. High output and quick lens/beam change make the FlexiPAR a popular choice for a high output spotlight within the tent environment. Optional Barn Doors sold separately.

Description	Product Code
FlexiPAR, White	FLEXIPARW
575W Lamp	GLA575W
Barn Doors, White	FLEXIPBDW



# Specialty Lighting

## Warm White LED Flood Light

### Features & Benefits

- Rugged aluminum housing with UV resistant powder coat finish offers outstanding corrosion protection
- 20 Watt LED Light generates 1,600 lumens of light output
- 50 Watt LED Light generates 3,500 lumens of light output
- Lens includes weatherproof gasket and tempered glass for impact resistance and safety
- 120-277V input voltage range covers both residential and commercial applications
- Warm white (3000K) color temperature and white housing
- 1' 6" White Power Cord
- Long life LEDs lasting up to 50,000 hours
- c/UL/us Listed

Description	Product Code
LED Flood Light, Warm White, 20W	LEDFLWW20
LED Flood Light, Warm White, 50W	LEDFLWW50



## RGB LED Flood Light (W/Controller)

### Features:

- Adjustable 120° Beam Angle for Best Illumination
- 30 Watt "RGB" LED Light puts out more than 2,500 lumens of light
- 50,000 Hours of Lamp Life with the Epistar LED Chip
- Impact and Vibration resistant
- IP65 Water Resistant Outdoor Rated Enclosure
- AC Input: 100V-240V, 50/60 Hz
- 5ft. 18/3 SJTW Indoor-Outdoor Power Supply Cord
- Multi-function Wireless Remote Control (Included)
- Choice of operational modes :
- Red, Green, Blue or White Fixed Light (Stationary)
- Red, Green, Blue and White Rotating Kaleidoscope Light
- Red, Green, Blue and White Blinking or Flashing Light
- Brightness, Speed and Intensity Controls
- c ETL us Approved

### Benefits:

- Remains "cool to the touch" and always safe to move or mount
- A single wireless remote can control up to 12 LED Accent Lights within a range of 25 feet
- White enclosure and mounting bracket easily blends in with the decor during special events
- Low Energy Consumption
- Rugged and reliable service life

Description	Product Code
LED Flood Light, RGB	LEDFLRGB30



Controller is included

## Puck 3 Unplugged LED Light

### Features:

- Superior color mixing via qty 9 3-watt TRI-Color LEDs
- 4-Button LED control panel for easy programming
- Features a rechargeable Lithium-Ion Battery
- Dual bracket for flexibility in mounting
- Power outlet for fixture linking (MAX 3A @ 120VAC)
- Built-in automated programs via DMX and master/slave
- Built-in sound active programs
- Full color mixing in stand-alone and master/slave
- Durable acrylic lens protector for added LED protection
- Ultra-quiet fan for cool operation

### Specifications

- Length = 8.5"
- Width = 5"
- Height = 8.25"
- Weight 6.9 lbs.
- Operating Voltage 90-230VAC, 50-60 Hertz
- Fuse 2A 250V
- Power Consumption 35W
- Light Source: Qty 9 - 3W TRI-Color LED's 60K hrs.
- Beam Angle 25 degrees
- 29 degree field
- Luminous Intensity 7,160 Lux @ 1m (Full White)
- Red 1,550 Lux @ 1m
- Green 2,250 Lux @ 1m
- Blue 2,930 Lux @ 1m

Description	Product Code
Puck 3 Unplugged	PUCK3UP
Puck 3 Charging Case	PUCK3CC



Optional Charging Case



## Custom LED Solutions

In addition to the LED fixtures listed in our catalog we also offer solutions that are specifically tailored to your application including DMX cables and controllers, wireless transmitters, IP65 rated fixtures for outdoor use and more. If the fixtures found in this catalog do not suit your needs simply give us a call and we will assist in selecting the best LED solution for your application.

